Page 2 of 20

Amendment and Response

Serial No.: 10/732,853 Confirmation No.: 8898 Filed: 10 December 2003

For METHOD AND MATERIALS FOR PATTERNING OF AN AMORPHOUS, NON-POLYMERIC, ORGANIC

MATRIX WITH ELECTRICALLY ACTIVE MATERIALS DISPOSED THEREIN

Amendments to the Claims

This listing of claims replaces all prior versions, and listings, of claims in the aboveidentified application:

1. (Currently Amended) A method of making an organic electroluminescent device, the method comprising:

solution coating a transfer layer on a donor substrate, the transfer layer comprising an amorphous, non-polymeric, organic matrix with a light emitting material disposed in the matrix, wherein the matrix comprises at least one amorphous, non-polymeric, organic compound selected from

wherein each R is independently a substituent comprising at least one functional group selected from alkenyl, alkenylene, aryl, arylene, heteroaryl, and heteroarylene; and selectively thermally transferring the transfer layer to a receptor.

- 2. (Original) The method of claim 1, further comprising forming a light-to-heat conversion layer on the donor substrate and wherein selectively thermally transferring the transfer layer to the receptor comprises selectively irradiating the light-to-heat conversion layer with imaging radiation and converting the imaging radiation to heat.
- 3. (Original) The method of claim 1, further comprising forming at least one additional

Page 3 of 20

Amendment and Response

Serial No.: 10/732,853 Confirmation No.: 8898 Filed: 10 December 2003

For: METHOD AND MATERIALS FOR PATTERNING OF AN AMORPHOUS. NON-POLYMERIC, ORGANIC

MATRIX WITH ELECTRICALLY ACTIVE MATERIALS DISPOSED THEREIN

transfer layer on the substrate and wherein selectively thermally transferring the transfer layer to the receptor comprises selectively thermally transferring the transfer layer and the at least one additional transfer layer to the receptor.

- (Original) The method of claim I, wherein the light emitting material comprises a light emitting polymer.
- 5. (Canceled)
- 6. (Original) The method of claim 1, wherein the matrix comprises at least one amorphous, non-polymeric, organic dendrimer.
- 7. (Original) The method of claim 6, wherein the dendrimer is selected from

Page 4 of 20

Serial No.: 10/732,853 Confirmation No.: 8898 Filed: 10 December 2003

For: METHOD AND MATERIALS FOR PATTERNING OF AN AMORPHOUS, NON-POLYMERIC, ORGANIC

MATRIX WITH ELECTRICALLY ACTIVE MATERIALS DISPOSED THEREIN

Page 5 of 20

Amendment and Response

Serial No.: 10/732,853 Confirmation No.: 8898 Filed: 10 December 2003

For: METHOD AND MATERIALS FOR PATTERNING OF AN AMORPHOUS, NON-POLYMERIC, ORGANIC

MATRIX WITH ELECTRICALLY ACTIVE MATERIALS DISPOSED THEREIN

wherein each R_1 and R_2 is independently H, F, Cl, Br, I, -SH, -OH, alkyl, aryl, heteroaryl, fluoroalkyl, fluoroalkylalkoxy, alkenyl, alkoxy, amino, or alkyl-COOH, each R_3 is independently H, F, Cl, Br, I, alkyl, fluoroalkyl, alkoxy, aryl, amino, cyano, or nitro, each X_1 is independently O, S, Se, NR₃, BR₃, or PR₃, and each Ar₁ and Ar₂ is independently substituted or unsubstituted aryl or heteroaryl.

8. (Currently Amended) The A method of claim 1, making an organic electroluminescent device, the method comprising:

solution coating a transfer layer on a donor substrate, the transfer layer comprising an amorphous, non-polymeric, organic matrix with a light emitting material disposed in the matrix; and

selectively thermally transferring the transfer layer to a receptor, wherein the matrix

Page 6 of 20

Amendment and Response

Serial No.: 10/732,853 Confirmation No.: 8898 Filed: 10 December 2003

For: METHOD AND MATERIALS FOR PATTERNING OF AN AMORPHOUS, NON-POLYMERIC, ORGANIC

MATRIX WITH ELECTRICALLY ACTIVE MATERIALS DISPOSED THEREIN

comprises an amorphous, non-polymeric, organic spiro compound.

- 9. (Original) The method of claim 1, wherein the amorphous, non-polymeric, organic matrix comprises a hole transport material.
- 10. (Original) The method of claim 1, wherein the amorphous, non-polymeric organic matrix comprises an electron transport material.
- (Original) The method of claim 1, wherein a hole transport material or electron transport material is also disposed within the amorphous, non-polymeric organic matrix.
- 12. (Original) The method of claim 1, wherein a ratio, by weight, of the amorphous, non-polymeric, organic matrix to the light emitting material is at least 1:1.
- 13. (Original) The method of claim 1, wherein selectively thermally transferring the transfer layer to a receptor comprises selectively thermally transferring the transfer layer to a receptor comprising a receptor substrate and a plurality of electrodes disposed on the receptor substrate.
- 14. (Original) The method of claim 13, wherein selectively thermally transferring the transfer layer to a receptor comprises selectively thermally transferring the transfer layer to a receptor comprising a receptor substrate, a plurality of electrodes disposed on the receptor substrate, and a hole transport layer disposed on the plurality of electrodes.
- 15. (Original) The method of claim 13, further comprising disposing a plurality of electrodes on a portion of the transfer layer which was selectively thermally transferred to the receptor.

Page 7 of 20

Serial No.: 10/732,853 Confirmation No.: 8898 Filed: 10 December 2003

For: METHOD AND MATERIALS FOR PATTERNING OF AN AMORPHOUS, NON-POLYMERIC, ORGANIC

MATRIX WITH ELECTRICALLY ACTIVE MATERIALS DISPOSED THEREIN

16. (Currently Amended) A donor sheet, comprising:

a substrate;

a light-to-heat conversion layer disposed on the substrate for converting incident imaging radiation into heat; and

a transfer layer disposed over the light-to-heat conversion layer, the transfer layer comprising a solution-coated, amorphous, non-polymeric, organic matrix with a light emitting material disposed in the matrix, wherein the transfer layer is capable of being selectively thermally transferred from the donor sheet to a proximally located receptor, wherein the matrix comprises at least one amorphous, non-polymeric, organic compound selected from

wherein each R is independently a substituent comprising at least one functional group selected from alkenyl, alkenylene, aryl, arylene, heteroaryl, and heteroarylene.

- 17. (Original) The donor sheet of claim 16, further comprising forming at least one additional transfer layer disposed over the light-to-heat conversion layer and wherein the at least one additional transfer layer is capable of being selectively thermally transferred with the transfer layer from the donor sheet to a proximally located receptor.
- 18. (Original) The donor sheet of claim 16, wherein the light emitting material comprises a light emitting polymer.

Page 8 of 20

Serial No.: 10/732,853 Confirmation No.: 8898 Filed: 10 December 2003

For: METHOD AND MATERIALS FOR PATTERNING OF AN AMORPHOUS, NON-POLYMERIC, ORGANIC

MATRIX WITH ELECTRICALLY ACTIVE MATERIALS DISPOSED THEREIN

19. (Canceled)

- 20. (Original) The donor sheet of claim 16, wherein the matrix comprises at least one amorphous, non-polymeric, organic dendrimer.
- (Currently Amended) The A donor sheet of claim 16, comprising:
 a substrate;

a light-to-heat conversion layer disposed on the substrate for converting incident imaging radiation into heat; and

a transfer layer disposed over the light-to-heat conversion layer, the transfer layer comprising a solution-coated, amorphous, non-polymeric, organic matrix with a light emitting material disposed in the matrix, wherein the transfer layer is capable of being selectively thermally transferred from the donor sheet to a proximally located receptor, wherein the matrix comprises an amorphous, non-polymeric, organic spiro compound.

- 22. (Original) The donor sheet of claim 16, wherein the amorphous, non-polymeric, organic matrix comprises a hole transport material.
- 23. (Original) The donor sheet of claim 16, wherein the amorphous, non-polymeric organic matrix comprises an electron transport material.
- 24. (Original) The donor sheet of claim 16, wherein a hole transport material or electron transport material is also disposed within the amorphous, non-polymeric organic matrix.
- 25. (Currently Amended) A method of making a donor sheet, the method comprising: forming a light-to-heat conversion layer on a substrate; and

Page 9 of 20

Serial No.: 10/732.853 Confirmation No.: 8898 Filed: 10 December 2003

For: METHOD AND MATERIALS FOR PATTERNING OF AN AMORPHOUS, NON-POLYMERIC, ORGANIC

MATRIX WITH ELECTRICALLY ACTIVE MATERIALS DISPOSED THEREIN

forming a transfer layer on the substrate, wherein forming the transfer layer comprises solution coating a coating composition on the substrate to form an amorphous, non-polymeric, organic matrix with a light emitting material disposed in the matrix, wherein the matrix comprises at least one amorphous, non-polymeric, organic compound selected from

wherein each R is independently a substituent comprising at least one functional group selected from alkenyl, alkenylene, aryl, arylene, heteroaryl, and heteroarylene.

26. (New) A method of making an organic electroluminescent device, the method comprising:

solution coating a transfer layer on a donor substrate, the transfer layer comprising an amorphous, non-polymeric, organic matrix with a light emitting material disposed in the matrix, wherein the matrix comprises at least one amorphous, non-polymeric, organic dendrimer, wherein the dendrimer is selected from

Page 10 of 20 Serial No.: 10/732,853

Confirmation No.: 8898 Filed: 10 December 2003

For: METHOD AND MATERIALS FOR PATTERNING OF AN AMORPHOUS, NON-POLYMERIC, ORGANIC

MATRIX WITH ELECTRICALLY ACTIVE MATERIALS DISPOSED THEREIN

Page 11 of 20

Serial No.: 10/732.853 Confirmation No.: 8898 Filed: 10 December 2003

For: METHOD AND MATERIALS FOR PATTERNING OF AN AMORPHOUS, NON-POLYMERIC. ORGANIC

MATRIX WITH ELECTRICALLY ACTIVE MATERIALS DISPOSED THEREIN

wherein each R_1 and R_2 is independently H, F, Cl, Br, I, -SH, -OH, alkyl, aryl, heteroaryl, fluoroalkyl, fluoroalkylalkoxy, alkenyl, alkoxy, amino, or alkyl-COOH, each R_3 is independently H, F, Cl, Br, I, alkyl, fluoroalkyl, alkoxy, aryl, amino, cyano, or nitro, each X_1 is independently

Page 12 of 20

Scrial No.: 10/732,853 Confirmation No.: 8898 Filed: 10 December 2003

For: METHOD AND MATERIALS FOR PATTERNING OF AN AMORPHOUS. NON-POLYMERIC, ORGANIC

MATRIX WITH ELECTRICALLY ACTIVE MATERIALS DISPOSED THEREIN

O, S, Se, NR₃, BR₃, or PR₃, and each Ar_1 and Ar_2 is independently substituted or unsubstituted aryl or heteroaryl; and

selectively thermally transferring the transfer layer to a receptor.

27. (New) A donor sheet, comprising:

a substrate;

a light-to-heat conversion layer disposed on the substrate for converting incident imaging radiation into heat; and

a transfer layer disposed over the light-to-heat conversion layer, the transfer layer comprising a solution-coated, amorphous, non-polymeric, organic matrix with a light emitting material disposed in the matrix, wherein the transfer layer is capable of being selectively thermally transferred from the donor sheet to a proximally located receptor, wherein the matrix comprises at least one amorphous, non-polymeric, organic dendrimer, wherein the dendrimer is selected from

$$\begin{array}{c} & & & & & & & \\ & & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & \\ & & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & \\ & & \\ & \\ & & \\ & \\ & \\ & & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\$$

Page 13 of 20

Serial No.: 10/732,853 Confirmation No.: 8898 Filed: 10 December 2003

For: METHOD AND MATERIALS FOR PATTERNING OF AN AMORPHOUS, NON-POLYMERIC, ORGANIC MATRIX WITH ELECTRICALLY ACTIVE MATERIALS DISPOSED THEREIN

Page 14 of 20

Serial No.: 10/732.853 Confirmation No.: 8898 Filed: 10 December 2003

For: METHOD AND MATERIALS FOR PATTERNING OF AN AMORPHOUS. NON-POLYMERIC, ORGANIC

MATRIX WITH ELECTRICALLY ACTIVE MATERIALS DISPOSED THEREIN

wherein each R₁ and R₂ is independently H, F, Cl, Br, I, -SH, -OH, alkyl, aryl, heteroaryl, fluoroalkyl, fluoroalkylalkoxy, alkenyl, alkoxy, amino, or alkyl-COOH, each R₃ is independently H, F, Cl, Br, I, alkyl, fluoroalkyl, alkoxy, aryl, amino, cyano, or nitro, each X₁ is independently O, S, Se. NR₃, BR₃, or PR₃, and each Ar₁ and Ar₂ is independently substituted or unsubstituted aryl or heteroaryl; and

selectively thermally transferring the transfer layer to a receptor.

28. (New) A method of making a donor sheet, the method comprising:

forming a light-to-heat conversion layer on a substrate; and

forming a transfer layer on the substrate, wherein forming the transfer layer comprises solution coating a coating composition on the substrate to form an amorphous, non-polymeric, organic matrix with a light emitting material disposed in the matrix, wherein the matrix comprises at least one amorphous, non-polymeric, organic dendrimer, wherein the dendrimer is selected from

Page 15 of 20

Serial No.: 10/732,853 Confirmation No.: 8898 Filed: 10 December 2003

For: METHOD AND MATERIALS FOR PATTERNING OF AN AMORPHOUS. NON-POLYMERIC. ORGANIC

MATRIX WITH ELECTRICALLY ACTIVE MATERIALS DISPOSED THEREIN

Page 16 of 20

Serial No.: 10/732.853 Confirmation No.: 8898 Filed: 10 December 2003

For: METHOD AND MATERIALS FOR PATTERNING OF AN AMORPHOUS, NON-POLYMERIC, ORGANIC

MATRIX WITH ELECTRICALLY ACTIVE MATERIALS DISPOSED THEREIN

wherein each R₁ and R₂ is independently H, F, Cl, Br, I, -SH, -OH, alkyl, aryl, heteroaryl, fluoroalkyl, fluoroalkylalkoxy, alkenyl, alkoxy, amino, or alkyl-COOH, each R₃ is independently H, F, Cl, Br, I, alkyl, fluoroalkyl, alkoxy, aryl, amino, cyano, or nitro, each X₁ is independently

Page 17 of 20

Serial No.: 10/732,853 Confirmation No.: 8898 Filed: 10 December 2003

For: METHOD AND MATERIALS FOR PATTERNING OF AN AMORPHOUS, NON-POLYMERIC. ORGANIC

MATRIX WITH ELECTRICALLY ACTIVE MATERIALS DISPOSED THEREIN

O, S, Se, NR₃, BR₃, or PR₃, and each Ar₁ and Ar₂ is independently substituted or unsubstituted aryl or heteroaryl.